

Anhang zu Tätigkeitsbericht Zucht 2018

Zuchtwerte aller geprüften Königinnen Jahrgang 2017

Rassenzucht-organisation	Züchter	Zuchtbuchnr.	Jahr	Honig	Sanftmut	Wabensitz	Schwarm-neigung	Varroaindex	Durchschnitt
50	106	30170	2017	112	96	101	105	106	104
50	106	30038	2017	110	90	93	113	81	97
50	106	30017	2017	109	100	103	104	94	102
50	106	30002	2017	97	90	90	107	104	98
50	125	10183	2017	110	78	80	124	106	100
50	125	10181	2017	112	99	101	111	84	101
50	125	10167	2017	107	96	96	111	94	101
50	125	10164	2017	122	93	96	119	105	107
50	129	40215	2017	85	101	97	103	105	98
50	129	40210	2017	83	93	89	108	113	97
50	129	40208	2017	92	109	107	100	117	105
50	129	40204	2017	97	111	109	100	101	104
50	129	40199	2017	95	120	118	91	112	107
50	133	10358	2017	103	92	92	111	83	96
50	133	10223	2017	108	91	94	113	83	98
50	133	10222	2017	104	102	102	104	87	100
50	133	10210	2017	130	102	104	112	94	108
50	133	10206	2017	106	91	93	111	87	98
50	133	10286	2017	111	90	92	116	107	103
50	133	10273	2017	105	86	87	117	88	97
50	133	10272	2017	98	89	89	109	104	98
50	135	50194	2017	111	114	117	90	99	106
50	135	50157	2017	110	82	86	114	113	101
50	135	50156	2017	107	90	93	107	105	100
50	135	50055	2017	112	93	94	103	130	106
50	135	50054	2017	96	101	102	92	106	99
50	140	50411	2017	105	99	99	90	113	101

Rassenzucht-organisation	Züchter	Zuchtbuchnr.	Jahr	Honig	Sanftmut	Wabensitz	Schwarm-neigung	Varroaindex	Durchschnitt	
	50	140	50406	2017	94	88	89	95	82	90
	50	140	50160	2017	102	77	79	108	108	95
	50	52	50434	2017	99	107	107	92	92	99
	50	52	50433	2017	88	93	92	94	112	96
	50	52	50431	2017	111	97	98	101	107	103
	50	52	50425	2017	104	110	113	88	104	104
	50	111	30517	2017	105	92	92	106	100	99
	50	111	30508	2017	100	122	121	86	111	108
	50	66	40279	2017	90	104	102	107	106	102
	50	66	40110	2017	107	113	113	103	109	109
	50	66	40108	2017	100	109	108	104	86	101
	50	66	40100	2017	108	112	110	105	89	105
	50	66	40096	2017	102	110	109	105	96	104
	50	66	40091	2017	98	111	110	103	96	104
	50	66	40321	2017	91	119	116	87	100	103
	50	66	40317	2017	88	115	111	92	80	97
	50	66	40086	2017	85	96	92	104	115	98
	50	66	40085	2017	95	85	83	116	101	96
	50	66	40084	2017	91	111	107	95	102	101
	50	66	40083	2017	99	99	97	111	91	99
	50	66	40078	2017	97	100	96	107	82	96
	50	66	40073	2017	76	120	116	81	87	96
	50	66	40071	2017	82	114	109	92	101	100
	50	66	40067	2017	88	99	96	104	95	96
	50	66	40265	2017	108	117	118	101	111	111
	50	66	40262	2017	110	87	89	126	87	100
	50	66	40260	2017	116	115	117	106	109	113
	50	66	40258	2017	89	103	103	102	97	99
	50	66	40255	2017	98	115	114	100	99	105
	50	66	40253	2017	114	108	110	112	107	110
	50	66	40062	2017	98	89	89	120	108	101
	50	66	40054	2017	103	98	99	113	90	101
	50	121	10252	2017	106	80	83	117	89	95
	50	121	10244	2017	112	80	82	124	93	98

Rassenzucht-organisation	Züchter	Zuchtbuchnr.	Jahr	Honig	Sanftmut	Wabensitz	Schwarm-neigung	Varroaindex	Durchschnitt	
	50	121	10238	2017	103	100	102	100	110	103
	50	121	10231	2017	115	95	98	114	88	102
	50	121	10230	2017	108	85	89	117	95	99
	50	95	50322	2017	81	92	90	99	98	92
	50	82	30209	2017	93	130	129	80	124	111
	50	82	30208	2017	86	107	107	91	104	99
	50	82	30204	2017	93	125	125	79	110	106
	50	82	30192	2017	88	115	116	85	104	102
	50	86	50481	2017	97	90	89	103	106	97
	50	86	40385	2017	101	111	111	96	114	107
	50	86	40383	2017	104	107	108	100	102	104
	50	86	40339	2017	98	103	103	105	86	99
	50	86	40163	2017	107	112	114	98	96	105
	50	86	40159	2017	110	103	103	106	118	108
	50	86	40156	2017	97	87	88	117	92	96
	50	86	40152	2017	107	104	104	107	110	106
	50	86	40151	2017	102	93	94	114	105	102
	50	86	40150	2017	99	111	111	95	122	108
	50	86	40149	2017	107	107	108	102	98	104
	50	134	40198	2017	85	107	103	96	87	96
	50	134	40195	2017	104	122	122	88	99	107
	50	134	40193	2017	116	111	110	108	112	111
	50	134	40191	2017	94	107	103	103	107	103
	50	134	40182	2017	106	115	114	100	119	111
	50	134	40181	2017	98	119	116	93	107	107
	50	134	40173	2017	90	103	101	100	103	99
	51	24	5410	2017	91	88	85	105	83	90
	51	24	5461	2017	91	88	91	102	102	95
	51	24	5534	2017	95	96	97	107	92	97
	51	24	6078	2017	96	103	103	103	89	99
	51	24	8107	2017	95	97	97	107	104	100
	51	24	4151	2017	92	106	108	105	97	102
	51	26	8695	2017	84	78	75	102	93	86
	51	26	6572	2017	87	89	90	101	88	91

Rassenzucht-organisation	Züchter	Zuchtbuchnr.	Jahr	Honig	Sanftmut	Wabensitz	Schwarm-neigung	Varroaindex	Durchschnitt
51	26	2900	2017	89	92	92	103	92	94
51	26	5810	2017	80	96	95	105	93	94
51	26	2596	2017	81	104	103	81	101	94
51	26	6907	2017	81	89	88	104	109	94
51	26	5859	2017	81	103	101	105	93	97
51	26	6511	2017	74	101	98	108	103	97
51	26	6996	2017	87	104	100	105	88	97
51	26	5741	2017	87	104	103	86	106	97
51	26	9690	2017	90	98	96	106	109	100
51	26	8512	2017	86	107	105	105	106	102
51	31	4902	2017	84	90	86	70	92	84
51	31	8226	2017	98	91	91	88	82	90
51	31	5539	2017	89	98	98	105	81	94
51	31	8971	2017	82	113	112	106	88	100
51	79	6832	2017	88	88	91	102	80	90
51	79	1746	2017	87	83	84	104	94	90
51	79	2823	2017	95	90	92	105	94	95
51	79	3423	2017	77	103	103	110	93	97
51	79	3781	2017	87	104	102	104	89	97
51	79	8180	2017	87	108	109	123	110	107
51	81	4824	2017	81	79	82	74	75	78
51	81	1641	2017	100	74	75	101	89	88
51	81	3555	2017	96	81	83	87	93	88
51	81	6248	2017	87	78	77	98	100	88
51	81	7181	2017	89	95	97	82	82	89
51	81	4636	2017	92	88	93	101	89	93
51	81	8623	2017	95	99	100	104	93	98
51	128	8031	2017	82	99	99	109	101	98
51	128	9168	2017	92	97	98	105	114	101
51	128	7046	2017	94	98	97	106	117	102
51	128	7936	2017	95	101	101	106	109	102
51	128	1506	2017	90	104	104	112	110	104
51	128	3153	2017	96	107	106	106	111	105
51	147	7381	2017	94	65	71	107	80	83

Rassenzuchtorganisation	Züchter	Zuchtbuchnr.	Jahr	Honig	Sanftmut	Wabensitz	Schwarmneigung	Varroaindex	Durchschnitt
51	147	5266	2017	88	83	86	105	84	89
51	147	8955	2017	100	84	85	104	94	93
51	147	8756	2017	100	96	98	106	80	96
51	147	7278	2017	74	113	116	108	81	98
51	147	7482	2017	106	94	102	114	87	101
51	147	2697	2017	96	112	117	109	72	101
51	208	4822	2017	105	53	55	81	103	79
51	208	8978	2017	90	76	77	108	82	87
51	208	1334	2017	95	76	77	99	87	87
51	208	1893	2017	93	74	73	96	105	88
51	208	5082	2017	71	99	100	104	80	91
51	208	2307	2017	96	79	83	103	96	91
51	208	9670	2017	96	96	95	82	90	92
51	208	1682	2017	93	95	95	88	89	92
51	208	7055	2017	95	82	84	110	101	94
51	208	7782	2017	87	91	93	103	103	95
51	208	8475	2017	98	90	93	106	95	96
51	208	7854	2017	100	90	92	102	105	98
51	208	7813	2017	91	96	98	106	103	99
51	208	7961	2017	96	112	110	105	85	102
51	208	8925	2017	99	109	111	109	94	104
51	213	1795	2017	84	84	85	91	103	89
51	213	1581	2017	91	99	100	105	89	97
51	213	4256	2017	90	96	98	108	112	101
51	213	2738	2017	93	97	98	108	111	101
51	213	4821	2017	88	105	102	106	108	102
51	265	1353	2017	89	86	84	106	80	89
51	265	6536	2017	89	97	96	99	85	93
51	265	3621	2017	96	95	93	107	81	94
51	265	1861	2017	90	88	89	104	105	95
51	265	7658	2017	77	99	95	122	88	96
51	265	4092	2017	97	118	114	111	86	105
52	15	64	2017	84	73	74	86	90	81
52	15	67	2017	91	78	77	102	100	90

Rassenzuchtorganisation	Züchter	Zuchtbuchnr.	Jahr	Honig	Sanftmut	Wabensitz	Schwarmneigung	Varroaindex	Durchschnitt
52	15	65	2017	88	97	97	96	88	93
52	15	68	2017	89	93	95	105	98	96
52	15	69	2017	88	90	88	105	112	97
52	21	469	2017	82	66	67	98	72	77
52	21	475	2017	84	81	81	84	85	83
52	21	487	2017	88	81	83	85	83	84
52	21	88	2017	89	83	84	84	88	86
52	21	111	2017	88	80	83	86	92	86
52	21	80	2017	95	88	88	85	86	88
52	21	77	2017	92	88	88	85	94	89
52	21	105	2017	90	90	89	88	93	90
52	21	74	2017	90	90	90	98	86	91
52	21	120	2017	80	98	98	103	90	94
52	21	107	2017	99	89	90	90	101	94
52	21	104	2017	88	93	91	97	104	95
52	21	103	2017	89	105	105	87	88	95
52	21	483	2017	97	95	96	90	97	95
52	21	106	2017	91	95	95	98	104	97
52	21	121	2017	96	103	102	92	91	97
52	21	440	2017	94	104	104	103	87	98
52	21	486	2017	89	105	104	101	98	99
52	21	89	2017	92	106	105	100	95	100
52	21	83	2017	99	98	98	101	102	100
52	21	75	2017	93	103	103	101	100	100
52	21	110	2017	87	102	103	105	110	101
52	21	114	2017	93	105	104	103	107	102
52	21	476	2017	97	110	109	96	102	103
52	21	96	2017	94	118	119	118	104	111
52	22	354	2017	84	98	96	76	87	88
52	22	350	2017	93	83	83	88	98	89
52	22	353	2017	96	91	93	92	101	95
52	22	352	2017	92	107	106	101	88	99
52	22	365	2017	103	117	117	119	113	114
52	23	276	2017	87	87	89	87	96	89

Rassenzucht-organisation	Züchter	Zuchtbuchnr.	Jahr	Honig	Sanftmut	Wabensitz	Schwarm-neigung	Varroaindex	Durchschnitt
52	23	260	2017	96	89	89	88	100	92
52	23	280	2017	95	92	91	92	100	94
52	23	283	2017	101	95	96	78	103	95
52	23	242	2017	95	95	97	103	85	95
52	23	277	2017	107	91	93	105	88	97
52	23	240	2017	95	103	105	105	101	102
52	23	258	2017	98	103	103	103	102	102
52	23	243	2017	92	104	104	102	111	103
52	23	281	2017	101	103	103	103	107	103
52	24	365	2017	83	79	80	85	80	81
52	24	361	2017	78	104	104	103	76	93
52	24	366	2017	86	107	106	92	84	95
52	24	364	2017	90	99	99	97	91	95
52	24	356	2017	90	100	99	105	85	96
52	24	358	2017	83	103	102	104	88	96
52	24	359	2017	100	98	98	96	90	96
52	24	367	2017	83	106	105	101	95	98
52	24	357	2017	94	113	115	117	99	108
52	26	313	2017	105	71	73	79	78	81
52	26	252	2017	88	86	86	83	94	87
52	26	251	2017	95	95	93	81	76	88
52	26	208	2017	85	93	88	91	98	91
52	26	247	2017	94	92	96	97	77	91
52	26	201	2017	92	96	92	87	95	92
52	26	321	2017	87	103	105	97	83	95
52	26	204	2017	92	90	91	101	105	96
52	26	207	2017	85	105	104	100	87	96
52	26	253	2017	94	105	105	80	100	97
52	26	256	2017	93	103	101	101	92	98
52	26	255	2017	97	110	110	97	82	99
52	26	246	2017	102	102	102	97	93	99
52	26	254	2017	97	110	109	95	98	102
52	26	209	2017	94	108	109	104	113	106
52	26	199	2017	99	112	111	103	103	106

Rassenzuchtorganisation	Züchter	Zuchtbuchnr.	Jahr	Honig	Sanftmut	Wabensitz	Schwarmneigung	Varroaindex	Durchschnitt
52	31	12	2017	91	74	75	89	97	85
52	31	11	2017	88	86	86	79	93	86
52	31	10	2017	91	85	87	91	90	89
52	31	5	2017	88	90	88	94	98	92
52	31	7	2017	88	96	98	92	93	93
52	31	2	2017	88	105	106	96	96	98
52	31	1	2017	97	115	116	111	94	107
52	32	48	2017	85	85	85	90	100	89
52	32	28	2017	87	82	84	105	92	90
52	32	67	2017	86	94	92	91	88	90
52	32	69	2017	91	90	90	98	97	93
52	32	42	2017	89	91	92	107	88	93
52	32	61	2017	92	85	84	105	101	93
52	32	68	2017	95	91	89	97	101	95
52	32	49	2017	87	105	108	116	88	101
52	40	230	2017	90	84	83	83	109	90
52	40	228	2017	93	98	100	85	87	93
52	40	234	2017	88	89	91	93	105	93
52	40	265	2017	95	95	93	100	101	97
52	40	238	2017	92	96	97	103	103	98

Rassenzuchtorganisationen

50 Mellifera

51 SAR

52 SCIV