

Anhang zum Tätigkeitsbericht Zucht 2025

Zuchtwerte aller vollständig geprüften Königinnen mit dem Jahrgang 2024

Rassenzucht- organisation	Züchter	Zuchtbuch- nummer	Jahrgang Königin	Honig	Santmut	Wabensitz	Schwarm- neigung	Hygiene- verhalten	Varroabefalls- entwicklung	Durchschnitt
50	124	10297	2024	109	85	88	122	99	107	101
50	124	10282	2024	110	85	87	124	98	100	102
50	124	10273	2024	115	81	86	125	101	104	103
50	124	10289	2024	105	92	96	121	95	110	104
50	124	10291	2024	102	93	97	123	96	104	104
50	124	10296	2024	109	93	97	121	101	98	108
50	129	70182	2024	103	106	107	114	86	94	106
50	129	70173	2024	115	106	106	106	90	92	110
50	129	70172	2024	117	108	108	112	92	95	115
50	129	70177	2024	109	106	107	115	103	94	116
50	129	70184	2024	111	107	107	116	97	91	116
50	133	10421	2024	97	92	97	109	89	98	93
50	133	10410	2024	112	91	95	109	100	99	102
50	133	10418	2024	104	96	102	105	104	99	104
50	133	10420	2024	104	94	99	111	104	99	105
50	133	10423	2024	104	94	99	114	103	93	105
50	133	10417	2024	101	97	103	113	106	98	109
50	133	10428	2024	106	95	99	113	110	94	109
50	133	10419	2024	109	96	101	108	112	101	111
50	133	10435	2024	109	96	101	115	109	105	112
50	133	10434	2024	116	96	101	114	106	105	113
50	56	42640	2024	90	102	103	85	92	117	88
50	56	42643	2024	97	94	95	91	97	122	88
50	56	42668	2024	92	93	93	86	111	120	89
50	56	42681	2024	90	98	99	85	105	112	90
50	56	42677	2024	96	98	99	91	94	113	91
50	56	42642	2024	104	97	98	82	107	120	94
50	56	42660	2024	104	91	91	94	105	117	94
50	56	42680	2024	98	102	103	80	111	122	97
50	56	42674	2024	92	103	103	87	110	116	98
50	138	15064	2024	114	98	97	92	102	103	100
50	138	15063	2024	108	100	100	101	95	102	101

Rassenzucht- organisation	Züchter	Zuchtbuch- nummer	Jahrgang Königin	Honig	Sanftmut	Wabensitz	Schwarm- neigung	Hygiene- verhalten	Varroabefalls- entwicklung	Durchschnitt
50	138	15071	2024	114	103	103	97	94	95	104
50	138	15072	2024	107	101	101	97	105	107	104
50	138	15054	2024	121	99	99	104	90	102	105
50	138	15073	2024	112	102	102	99	102	103	106
50	138	15058	2024	98	106	106	96	117	97	109
50	138	15067	2024	118	103	104	101	110	102	115
50	144	40033	2024	95	94	94	100	105	93	94
50	144	40055	2024	89	95	95	105	104	91	94
50	144	40057	2024	93	89	88	104	112	92	94
50	144	40022	2024	95	97	98	105	107	99	100
50	144	40027	2024	101	96	96	107	113	80	105
50	144	40061	2024	98	94	94	107	121	93	105
50	144	40039	2024	104	95	96	97	104	92	98
50	144	40052	2024	103	95	96	98	107	94	99
50	144	40036	2024	102	97	98	102	104	96	101
50	144	40051	2024	108	102	104	95	104	89	105
50	144	40005	2024	113	99	101	93	109	98	106
50	144	40037	2024	106	101	102	101	104	87	106
50	144	40009	2024	113	101	102	98	105	93	108
50	144	40040	2024	114	104	106	95	107	89	110
50	144	40015	2024	115	105	107	101	106	86	114
50	144	40004	2024	112	104	106	102	110	92	115
50	144	40011	2024	103	104	107	98	122	93	115
50	144	40013	2024	119	101	103	104	109	94	115
50	66	70008	2024	104	109	107	110	98	94	112
50	66	70001	2024	114	110	108	114	88	90	115
50	66	70009	2024	116	111	109	103	99	92	115
50	66	70007	2024	105	113	112	111	97	101	116
50	66	70010	2024	112	113	111	112	93	93	116
50	66	70003	2024	109	116	115	112	99	92	122
50	66	70169	2024	117	115	115	103	103	90	123
50	66	70006	2024	109	119	119	114	100	86	126
50	66	70028	2024	88	112	112	95	94	91	100
50	66	70033	2024	90	110	110	102	105	100	107
50	66	70030	2024	97	113	113	95	99	87	108
50	66	70029	2024	89	117	117	103	103	93	112
50	66	70027	2024	105	118	117	95	105	89	117
50	66	70037	2024	90	113	113	93	107	92	106
50	66	70036	2024	94	117	118	96	103	95	111

Rassenzucht- organisation	Züchter	Zuchtbuch- nummer	Jahrgang Königin	Honig	Sanftmut	Wabensitz	Schwarm- neigung	Hygiene- verhalten	Varroabefalls- entwicklung	Durchschnitt
50	66	70041	2024	95	114	114	103	101	96	111
50	66	70046	2024	93	111	110	108	105	101	112
50	66	70040	2024	99	117	118	104	103	95	117
50	155	15053	2024	97	95	96	98	99	114	93
50	155	15049	2024	96	102	103	95	93	106	95
50	164	15037	2024	96	106	107	93	88	116	96
50	164	15116	2024	103	107	109	92	79	123	96
50	164	15035	2024	107	109	111	93	86	110	102
50	164	15038	2024	111	108	109	97	95	121	108
50	200	30072	2024	105	101	103	115	98	95	109
50	133	10497	2024	101	84	87	113	92	97	89
50	133	10502	2024	94	89	93	105	106	91	94
50	133	10504	2024	88	91	96	108	104	97	94
50	133	10527	2024	96	84	88	111	110	99	95
50	133	10503	2024	92	91	95	112	104	99	97
50	133	10525	2024	93	90	94	113	109	96	99
50	133	10513	2024	96	94	98	109	112	97	104
50	156	10264	2024	96	86	89	101	85	105	82
50	156	10270	2024	103	83	86	107	84	106	83
50	156	10263	2024	105	81	85	106	86	104	84
50	156	10238	2024	94	86	89	102	97	102	86
50	156	10255	2024	100	87	91	103	91	107	88
50	156	10259	2024	103	85	89	110	90	107	89
50	156	10254	2024	101	88	92	107	90	102	90
50	156	10243	2024	100	95	99	109	97	96	100
50	168	13059	2024	82	112	112	96	96	91	98
50	168	13002	2024	84	109	110	98	97	94	99
50	168	13065	2024	80	113	113	100	94	97	99
50	168	13086	2024	83	111	111	100	93	97	99
50	168	13004	2024	77	115	116	101	101	96	104
50	168	13005	2024	86	115	115	103	92	96	104
50	168	13006	2024	80	117	118	95	104	98	105
50	175	13011	2024	92	108	108	108	92	88	103
50	175	13020	2024	97	107	108	105	98	96	106
50	175	13017	2024	93	108	109	110	100	95	108
50	175	13016	2024	98	107	108	103	106	101	109
50	175	13022	2024	96	112	111	105	98	90	109
50	175	13018	2024	101	108	107	108	103	91	111
50	175	13130	2024	106	105	104	107	105	96	111

Rassenzucht- organisation	Züchter	Zuchtbuch- nummer	Jahrgang Königin	Honig	Sanftmut	Wabensitz	Schwarm- neigung	Hygiene- verhalten	Varroabefalls- entwicklung	Durchschnitt
50	175	13131	2024	103	111	112	106	100	91	113
50	175	13128	2024	100	110	110	109	107	93	115
50	181	30357	2024	103	108	106	107	99	105	110
50	181	30366	2024	97	111	110	110	96	94	110
50	181	30373	2024	96	108	107	105	109	102	110
50	181	30369	2024	97	107	106	110	105	101	111
50	181	30349	2024	96	110	110	105	110	102	113
50	181	30348	2024	96	104	102	118	113	99	114
50	163	15014	2024	114	97	99	89	90	116	95
50	163	15012	2024	111	93	95	97	101	115	98
50	163	15029	2024	118	100	103	86	89	111	98
50	163	15003	2024	116	103	106	90	90	113	102
50	163	15011	2024	115	101	104	99	89	117	103
50	163	15002	2024	121	100	103	97	92	119	105
50	163	15027	2024	117	100	103	99	96	122	106
50	163	15009	2024	118	104	107	91	97	123	107
50	163	15024	2024	111	102	105	98	103	117	108
50	66	70023	2024	101	115	114	104	108	103	118
50	66	70017	2024	106	115	115	104	105	99	119
50	66	70015	2024	102	114	113	112	106	101	120
50	66	70022	2024	104	116	116	111	102	104	120
50	66	70016	2024	104	113	112	114	106	106	121
50	66	70021	2024	110	114	113	113	101	108	121
50	66	70019	2024	110	113	112	114	106	102	123
50	66	70013	2024	115	112	111	115	109	107	126
50	66	70118	2024	85	118	117	100	86	100	103
50	66	70119	2024	83	115	114	96	98	102	103
50	66	70105	2024	87	118	117	103	85	103	104
50	66	70121	2024	87	116	116	95	100	101	105
50	66	70099	2024	91	112	112	100	101	109	107
50	66	70112	2024	87	116	115	100	105	102	110
50	66	70120	2024	90	116	115	104	101	101	110
50	66	70104	2024	85	117	116	105	103	102	111
50	66	70113	2024	88	117	116	100	107	106	112
50	66	70116	2024	94	117	116	95	107	107	112
50	66	70124	2024	95	120	120	104	89	109	112
50	66	70106	2024	88	119	118	107	103	101	114
50	66	70123	2024	95	119	118	96	107	103	115
50	66	70089	2024	84	109	109	107	95	86	101

Rassenzucht- organisation	Züchter	Zuchtbuch- nummer	Jahrgang Königin	Honig	Sanftmut	Wabensitz	Schwarm- neigung	Hygiene- verhalten	Varroabefalls- entwicklung	Durchschnitt
50	66	70091	2024	92	108	108	103	96	86	102
50	66	70094	2024	88	109	109	111	96	86	105
50	66	70125	2024	82	110	109	112	100	93	105
50	66	70084	2024	80	111	110	110	104	92	106
50	66	70086	2024	91	109	108	113	99	88	108
50	66	70087	2024	87	107	106	111	107	90	108
50	66	70135	2024	90	106	105	111	107	89	108
50	66	70143	2024	89	108	107	108	108	83	108
50	66	70085	2024	87	110	109	111	105	87	109
50	66	70096	2024	90	109	109	103	112	92	110
50	66	70126	2024	87	110	109	110	108	95	110
50	66	70129	2024	90	109	109	111	105	86	110
50	66	70138	2024	94	109	109	114	99	86	111
50	66	70130	2024	94	109	108	113	109	86	113
50	66	70142	2024	95	108	108	113	111	94	114
50	66	70080	2024	92	112	112	113	107	87	115
50	66	70052	2024	93	123	124	112	84	99	115
50	66	70090	2024	95	110	110	115	112	86	117
50	66	70137	2024	97	114	114	113	109	85	120
50	66	70058	2024	96	114	115	112	79	96	107
50	66	70073	2024	95	115	116	112	79	89	108
50	66	70071	2024	98	118	118	115	76	91	110
50	66	70074	2024	101	124	126	105	72	96	111
50	66	70062	2024	100	120	121	102	84	95	112
50	66	70075	2024	99	119	121	104	86	93	112
50	66	70170	2024	99	119	121	101	90	90	112
50	66	70054	2024	105	122	123	108	73	88	113
50	66	70077	2024	94	119	120	116	83	90	113
50	66	70056	2024	95	122	124	110	84	90	115
50	66	70060	2024	96	119	119	112	91	97	116
50	66	70061	2024	95	118	119	111	95	97	116
50	66	70063	2024	103	119	120	112	84	89	116
50	66	70069	2024	102	123	125	112	79	94	117
50	66	70059	2024	103	119	120	112	88	93	118
50	66	70070	2024	102	120	120	116	85	93	118
50	66	70076	2024	102	119	120	115	87	87	118
50	66	70068	2024	96	124	125	115	85	99	119
50	85	40159	2024	102	95	96	87	106	92	94
50	85	40158	2024	103	98	101	94	97	93	96

Rassenzucht- organisation	Züchter	Zuchtbuch- nummer	Jahrgang Königin	Honig	Sanftmut	Wabensitz	Schwarm- neigung	Hygiene- verhalten	Varroabefalls- entwicklung	Durchschnitt
50	85	40161	2024	102	100	103	94	97	91	98
50	85	40139	2024	99	100	103	101	96	90	99
50	85	40032	2024	106	99	102	98	97	93	101
50	85	40160	2024	113	99	101	90	113	89	106
50	85	40162	2024	104	101	104	100	105	93	106
50	91	60380	2024	92	90	86	104	117	112	95
50	91	60379	2024	88	95	92	116	100	110	96
50	91	60383	2024	89	93	90	114	106	117	96
50	91	60373	2024	87	96	94	107	113	119	98
50	91	60378	2024	90	95	92	117	103	114	98
50	91	60376	2024	90	94	92	115	107	107	99
50	91	60371	2024	89	94	91	115	112	108	100
50	91	60372	2024	92	95	93	117	111	113	103
50	91	60374	2024	91	100	98	117	107	112	105
50	323	60134	2024	88	95	91	108	88	114	87
50	323	60122	2024	88	93	89	105	101	108	89
50	323	60124	2024	87	99	97	98	96	120	90
50	323	60106	2024	86	98	95	103	105	107	94
50	323	60112	2024	89	96	93	108	101	112	94
50	323	60110	2024	93	92	88	116	101	110	95
50	323	60126	2024	93	96	93	107	107	113	97
50	323	60136	2024	96	98	94	110	102	112	100

Rassenzucht- organisation	Züchter	Zuchtbuch- nummer	Jahrgang Königin	Honig	Sanftmut	Wabensitz	Schwarm- neigung	Varroaindex	Durchschnitt
51	121	3114	2024	90	95	92	84	92	89
51	121	8107	2024	92	96	95	90	91	91
51	121	5311	2024	97	88	87	91	95	91
51	121	2738	2024	94	93	92	90	91	91
51	121	3900	2024	94	97	95	90	91	92
51	121	7046	2024	90	96	94	88	97	93
51	126	9140	2024	95	84	77	102	83	84
51	126	2418	2024	101	81	79	105	79	84
51	126	6553	2024	96	85	79	103	82	85
51	126	4051	2024	94	85	80	99	84	85

Rassenzucht- organisation	Züchter	Zuchtbuch- nummer	Jahrgang Königin	Honig	Sanftmut	Wabensitz	Schwarm- neigung	Varroaindex	Durchschnitt
51	126	1533	2024	96	83	79	100	87	86
51	126	1549	2024	99	85	79	101	86	87
51	126	6899	2024	97	88	83	103	87	89
51	126	6679	2024	100	85	80	105	88	90
51	218	5752	2024	92	93	91	85	86	86
51	218	2955	2024	86	91	89	82	91	87
51	218	4726	2024	89	93	90	83	90	88
51	218	8748	2024	93	93	92	84	91	89
51	218	7189	2024	90	93	91	88	95	91
51	208	5246	2024	91	82	82	98	85	84
51	208	5607	2024	91	84	86	99	86	86
51	208	1520	2024	89	90	89	98	87	88
51	208	4300	2024	89	90	89	98	90	89
51	208	6491	2024	98	86	86	103	94	93
51	213	1362	2024	81	71	70	97	82	77
51	213	5658	2024	85	78	76	102	84	81
51	213	5082	2024	80	79	74	99	86	81
51	213	2512	2024	80	72	71	99	89	81
51	213	5079	2024	79	79	78	99	88	82
51	213	4003	2024	84	74	74	100	89	82
51	213	2126	2024	86	80	78	102	86	84
51	208	2464	2024	84	91	89	90	87	85
51	213	1748	2024	82	84	84	102	86	85
51	213	4031	2024	85	83	83	103	88	86
51	213	5137	2024	79	87	86	100	92	88
51	208	8518	2024	88	88	84	92	95	89
51	208	3966	2024	88	92	92	89	91	89
51	208	9429	2024	89	95	94	94	91	91
51	213	5281	2024	91	69	73	103	89	83
51	213	8510	2024	84	77	80	103	91	86
51	213	7378	2024	86	77	82	101	91	86
51	213	2440	2024	86	77	80	98	92	86
51	213	9509	2024	96	73	76	107	91	87
51	213	9810	2024	96	80	84	107	91	90
51	213	9721	2024	94	82	86	107	94	92
51	25	89	2024	93	79	76	106	82	83
51	25	87	2024	86	87	88	104	77	83
51	25	20	2024	98	75	72	104	83	83
51	25	88	2024	94	73	73	98	90	84

Rassenzucht- organisation	Züchter	Zuchtbuch- nummer	Jahrgang Königin	Honig	Sanftmut	Wabensitz	Schwarm- neigung	Varroaindex	Durchschnitt
51	25	13	2024	80	90	90	101	81	84
51	25	24	2024	83	90	91	102	80	85
51	25	22	2024	93	77	73	106	87	85
51	25	1	2024	87	88	88	105	86	88
51	47	7351	2024	87	93	90	88	92	89
51	47	3164	2024	89	92	89	86	88	87
51	47	8585	2024	93	90	87	88	89	87
51	31	4812	2024	100	65	62	105	90	83
51	31	8097	2024	101	71	70	106	88	85
51	31	3726	2024	99	76	73	103	89	86
51	31	1269	2024	97	62	60	100	90	81
51	31	7350	2024	94	75	71	102	86	83
51	31	6415	2024	97	67	65	104	90	83
51	39	3063	2024	89	100	101	84	84	88
51	39	4139	2024	95	95	97	90	89	91
51	39	9928	2024	95	101	101	91	90	93
51	39	4985	2024	92	101	102	86	84	89
51	39	9670	2024	92	94	94	85	86	87
51	39	8475	2024	92	96	95	82	84	86
51	90	2009	2024	88	94	95	93	93	91
51	90	1735	2024	92	89	89	91	92	89
51	90	6048	2024	89	94	96	95	89	90
51	90	4357	2024	84	95	98	92	89	90
51	90	9245	2024	90	93	95	95	86	89
51	90	8194	2024	93	79	83	91	91	86
51	90	4010	2024	84	86	92	88	91	87
51	90	8286	2024	90	89	92	94	89	89
51	90	8211	2024	92	81	87	96	97	91
51	90	9696	2024	81	86	85	84	87	82
51	90	2345	2024	84	83	87	91	88	84
51	78	1353	2024	85	83	81	101	87	85
51	78	5539	2024	88	78	78	102	87	84
51	78	6852	2024	88	72	71	98	91	83
51	78	1334	2024	88	81	79	100	92	87
51	78	7186	2024	83	82	80	99	94	87
51	78	4316	2024	87	80	77	102	89	85
51	78	5481	2024	88	79	76	95	86	82
51	78	4944	2024	88	75	75	101	90	84
51	78	4368	2024	90	90	93	96	95	93

Rassenzucht- organisation	Züchter	Zuchtbuch- nummer	Jahrgang Königin	Honig	Sanftmut	Wabensitz	Schwarm- neigung	Varroaindex	Durchschnitt
51	78	4034	2024	95	86	89	101	94	92
51	78	81	2024	92	81	83	97	97	91
51	78	5077	2024	91	88	91	101	96	93
51	78	5188	2024	91	79	82	101	91	88
51	78	7605	2024	88	80	81	89	98	88
51	78	4412	2024	98	105	108	101	105	106
51	78	988	2024	101	105	107	93	107	105
51	78	990	2024	102	105	107	103	106	107
51	78	982	2024	95	78	78	103	94	89
51	78	989	2024	100	101	107	105	94	100

Rassenzucht- organisation	Züchter	Zuchtbuch- nummer	Jahrgang Königin	Honig	Sanftmut	Wabensitz	Schwarm- neigung	Varroaindex	Durchschnitt
52	100	41	2024	91	90	94	80	71	78
52	301	51	2024	93	94	96	84	75	82
52	301	20	2024	87	93	93	71	72	76
52	100	30	2024	90	90	91	79	72	78
52	301	4	2024	93	96	98	84	76	83
52	100	39	2024	84	97	98	69	71	76
52	301	19	2024	89	91	93	80	75	79
52	100	21	2024	85	97	99	80	74	80
52	100	12	2024	91	92	95	80	74	80
52	301	16	2024	91	93	94	80	75	80
52	100	24	2024	93	93	94	79	74	80
52	301	13	2024	91	96	99	82	76	83
52	100	110	2024	92	91	92	83	72	79
52	100	91	2024	93	95	96	82	73	81
52	301	8	2024	92	92	95	80	74	80
52	100	105	2024	93	96	99	83	77	84
52	301	12	2024	90	91	94	78	73	79
52	100	102	2024	87	93	92	76	76	79
52	301	17	2024	87	86	89	78	74	76
52	253	22	2024	84	87	89	77	76	77
52	253	15	2024	85	90	91	78	78	79
52	253	12	2024	79	90	89	76	78	78

Rassenzucht- organisation	Züchter	Zuchtbuch- nummer	Jahrgang Königin	Honig	Sanftmut	Wabensitz	Schwarm- neigung	Varroaindex	Durchschnitt
52	253	8	2024	86	87	86	80	78	79
52	253	6	2024	89	88	88	79	81	81
52	116	5	2024	102	102	103	109	109	109
52	116	6	2024	102	100	102	109	111	109
52	110	1	2024	96	95	98	101	98	98
52	110	5	2024	97	90	92	101	97	96
52	110	6	2024	97	93	96	102	98	98
52	116	10	2024	102	112	114	112	106	112
52	116	11	2024	99	102	104	107	109	107
52	13	258	2024	81	79	81	67	79	73
52	13	150	2024	77	81	84	70	80	74
52	13	264	2024	84	73	74	73	81	74
52	154	6	2024	94	95	91	87	87	88
52	154	14	2024	99	101	99	94	90	94
52	154	185	2024	88	89	89	83	83	82
52	154	182	2024	85	78	78	78	83	77
52	154	83	2024	104	79	80	99	80	84
52	154	73	2024	101	94	95	97	85	91
52	154	53	2024	96	97	93	90	91	92
52	154	49	2024	90	107	103	86	91	94
52	154	46	2024	96	97	93	90	90	92
52	154	44	2024	99	98	94	93	87	91
52	154	158	2024	96	103	103	93	85	92
52	154	100	2024	98	91	93	93	88	90
52	154	140	2024	92	98	97	88	86	89
52	154	151	2024	98	93	94	93	80	87
52	154	148	2024	93	94	95	88	82	86
52	154	128	2024	93	93	94	87	85	87
52	154	116	2024	99	88	88	92	82	86
52	191	29	2024	102	86	88	88	79	84
52	191	20	2024	103	85	85	88	81	84
52	191	141	2024	98	93	92	103	102	99
52	191	26	2024	102	85	86	91	76	82
52	191	27	2024	101	90	92	90	80	86
52	191	56	2024	100	98	101	92	81	90
52	191	52	2024	100	101	103	92	80	90
52	218	11	2024	84	82	82	74	82	77
52	218	20	2024	82	84	84	79	81	78
52	218	27	2024	87	77	77	80	84	78

Rassenzucht- organisation	Züchter	Zuchtbuch- nummer	Jahrgang Königin	Honig	Sanftmut	Wabensitz	Schwarm- neigung	Varroaindex	Durchschnitt
52	218	23	2024	89	82	82	71	79	76
52	26	1	2024	105	109	111	107	95	105
52	24	12	2024	95	98	98	90	72	83
52	26	12	2024	109	110	110	109	103	110
52	26	5	2024	108	110	111	109	101	109
52	24	23	2024	95	96	95	89	68	80
52	24	10	2024	97	94	94	91	74	83
52	26	10	2024	107	113	114	109	104	111
52	24	4	2024	96	99	98	90	80	88
52	24	11	2024	95	92	93	91	81	86
52	26	2	2024	103	115	115	106	97	107
52	26	15	2024	96	89	88	90	76	82
52	26	31	2024	97	93	91	87	77	83
52	301	39	2024	94	83	88	93	94	90
52	301	25	2024	94	85	88	92	92	89
52	301	27	2024	95	87	92	94	94	92
52	301	37	2024	96	86	91	94	95	92
52	301	30	2024	87	80	86	89	94	87
52	32	96	2024	96	107	108	99	106	106
52	32	73	2024	91	113	113	92	108	106
52	32	65	2024	91	107	108	92	110	106
52	32	56	2024	96	111	112	99	108	109
52	32	31	2024	92	108	110	93	108	105
52	380	16	2024	95	92	93	90	97	94
52	380	12	2024	95	92	94	91	97	94
52	707	89	2024	98	96	98	99	99	99
52	707	86	2024	99	96	98	99	100	99
52	707	90	2024	95	91	93	97	100	96
52	707	11	2024	93	101	103	94	100	99
52	707	79	2024	93	96	98	92	97	96
52	707	15	2024	104	93	95	98	98	98
52	707	14	2024	96	90	93	91	98	94
52	707	23	2024	93	94	96	92	99	96
52	707	22	2024	94	97	100	92	97	96
52	707	85	2024	102	96	98	102	96	99
52	707	31	2024	99	96	98	100	93	96
52	707	24	2024	95	93	95	98	89	92
52	707	83	2024	98	98	100	100	96	98
52	707	35	2024	98	97	99	100	95	97

Rassenzucht- organisation	Züchter	Zuchtbuch- nummer	Jahrgang Königin	Honig	Sanftmut	Wabensitz	Schwarm- neigung	Varroaindex	Durchschnitt
52	707	19	2024	98	98	100	100	94	97
52	707	37	2024	94	95	97	97	91	93
52	707	82	2024	98	96	98	100	92	95
52	707	84	2024	97	92	93	99	93	94
52	707	80	2024	93	93	95	96	94	93
52	707	38	2024	96	94	95	98	93	94
52	707	21	2024	94	96	98	97	91	94
52	225	8	2024	91	84	85	89	91	87
52	225	6	2024	97	89	90	97	94	93
52	225	5	2024	99	84	85	99	92	91
52	225	18	2024	92	85	87	91	85	85
52	707	39	2024	91	98	100	96	95	96
52	707	29	2024	93	96	98	97	93	94
52	707	87	2024	102	93	95	101	95	96
52	707	33	2024	98	95	97	99	92	95
52	707	20	2024	92	93	95	93	90	91
52	707	32	2024	95	96	98	97	91	94
52	707	30	2024	98	97	99	99	97	98
52	886	31	2024	89	90	92	91	96	92
52	707	92	2024	91	92	94	94	90	90
52	262	91	2024	98	88	92	103	90	92
52	262	89	2024	92	96	97	101	95	96
52	262	85	2024	96	94	95	103	91	94
52	262	97	2024	95	92	93	100	92	93
52	262	88	2024	96	93	93	101	88	92
52	262	98	2024	95	94	95	101	91	94
52	262	84	2024	95	92	91	100	90	92
52	7	407	2024	94	94	96	96	101	98
52	98	3	2024	96	97	101	100	98	99
52	99	23	2024	98	97	101	99	98	99
52	98	1	2024	98	85	87	93	102	95
52	7	127	2024	100	94	92	101	95	96
52	99	8	2024	98	93	93	98	98	96
52	92	30	2024	93	89	95	89	100	94
52	98	10	2024	97	93	97	96	100	98
52	98	8	2024	96	93	95	90	98	95
52	7	718	2024	92	92	94	90	97	94
52	92	32	2024	99	84	88	92	100	94
52	99	16	2024	98	88	90	98	106	99

Rassenzucht- organisation	Züchter	Zuchtbuch- nummer	Jahrgang Königin	Honig	Sanftmut	Wabensitz	Schwarm- neigung	Varroaindex	Durchschnitt
52	99	13	2024	99	91	94	99	97	96
52	7	717	2024	98	84	88	96	101	95
52	98	11	2024	93	86	90	95	99	94
52	99	18	2024	91	90	92	92	102	95
52	7	314	2024	99	85	89	89	102	94
52	99	9	2024	93	87	93	91	101	94
52	7	114	2024	99	103	105	105	99	103
52	7	124	2024	90	101	104	95	89	94
52	7	117	2024	93	74	73	88	87	81
52	7	118	2024	92	70	70	86	88	79
52	7	116	2024	93	70	71	88	88	80
52	99	31	2024	93	92	96	88	90	90
52	26	131	2023	103	93	92	103	85	92
52	790	29	2024	94	96	97	97	103	99
52	790	23	2024	95	100	102	99	99	100
52	790	26	2024	99	105	107	104	105	106
52	790	22	2024	94	102	104	99	101	101
52	790	51	2024	95	99	102	100	99	99
52	790	28	2024	96	100	103	101	103	102
52	790	31	2024	100	104	106	105	103	105
52	90	40	2024	104	104	107	106	99	105
52	90	38	2024	100	106	109	102	101	105
52	90	31	2024	98	102	105	100	99	102
52	90	41	2024	97	103	106	98	100	102
52	90	36	2024	97	103	106	99	98	101
52	90	35	2024	100	102	104	101	97	101
52	92	22	2024	99	102	103	114	97	103
52	92	24	2024	95	110	111	113	98	105
52	92	3	2024	95	103	100	107	94	99
52	92	9	2024	97	107	105	111	102	106
52	467	4	2024	94	89	90	105	103	98
52	467	2	2024	93	95	96	105	98	98
52	467	42	2024	91	91	92	96	99	94
52	93	100	2024	103	110	112	106	109	111
52	93	97	2024	95	110	110	99	111	109
52	93	84	2024	105	103	101	105	97	102
52	93	95	2024	100	107	108	104	111	110
52	93	92	2024	99	114	115	104	112	113
52	32	106	2024	101	111	107	112	117	116

Rassenzucht- organisation	Züchter	Zuchtbuch- nummer	Jahrgang Königin	Honig	Sanftmut	Wabensitz	Schwarm- neigung	Varroaindex	Durchschnitt
52	32	103	2024	100	112	108	111	114	114
52	32	108	2024	101	114	112	113	117	117
52	32	109	2024	106	110	105	117	120	118
99	193	61724	2024	89	114	115	98	117	112
99	193	61721	2024	98	111	109	105	116	113
99	193	61720	2024	96	112	109	104	117	113
99	193	61718	2024	90	113	116	102	116	113
99	193	61716	2024	97	109	109	106	116	113
99	193	61723	2024	96	110	112	105	117	114
99	193	61722	2024	97	113	114	106	117	115
99	193	61725	2024	99	115	116	107	118	117
99	193	61717	2024	100	113	113	108	121	118

Rassenzuchtorganisationen

50 mellifera.ch

51 SAR

52 SCIV

99 ACA (Austrian Carnica Association) - Prüfung durch SCIV